Product Information Packet

Model AHP-401CP

Solid State Cold Plate

without Temperature Control

Part #1-F050-0-001

Thank you for your purchase. Information has been enclosed regarding the installation, specifications, and wiring of your solid-state assembly. Please read and follow all instructions carefully before installation. Only qualified technicians should install this equipment.

If you have any questions regarding your equipment, please do not hesitate to call us at 773-342-4900, and we will be happy to assist you. We are open from 8:00 am-4:30 pm Central Time.

Included in this packet you will find:

Product Literature and Specifications


Assembly Drawing # SK150651


Wiring Drawing # SK160445


Installation Drawing # SK140710

Warranty Information










(to be cooled) Load Mounting Gasket Enclosure Wall -_Thermal Grease_ Interface -Insulation Cold Plate (to be cooled) ş ्व

METHOD B





Note: Do not use this method.	INFORMATION DISCLOSED U	>
	HEREIN IS THE	ш
Over compression may cause irreversible damage to	CONFIDENTIAL PROPERTY T	\vdash
the thermoelectrics and word the warranty	OF TECA CORP. RECIPIENT	
the thermodications and void the wallanty.	SHALL NOT USE THE	ŏ
	INFORMATION IN ANY	1
	UNAUTHORIZED MANNER. X	×
	FINISH:	2

INSTALLATION INSTRUCTIONS

- 1- Choose Mounting Method (A or B).
- 2- Prepare mounting surface/component as indicated. Ideal component surface flatness is ±.001 T.I.R.
- grease (Dow type 340 or equivalent) on both thermal contact 3- Spread an even, approximately 10 MIL, layer of thermal surfaces (component and cold plate). A speedball rubber roller works well for this.
- 4- Install unit without sliding against mating surface, rotate slightly to "seat" them.
- 5- Fit insulation around cold plate surfaces as required.
- 6- If desired, caulk insulation to seal and secure insulation.
- 7- Connect power per appropriate wiring diagram.

					REV	LEVEL		SHEFT	
THERMOELECTRIC COOLING AMERICA CORP. 30C0, 500CP, 600CP SERIES LATION INSTRUCTIONS						SK140710		MASTER: SK140709	
DELECTRIC COOLI	INSTRUCTION		DRAWING #	SCALE					
	AHP-400C0, 500CP, 600CP SERIES	INSTALLATION INSTRUCTIONS			DRAWN BY:	ξ.	DATE: 07/03/2014	00000	D9306
ON DISCLOSED UNLESS OTHERVISE SPECIFIED DIMENSIONS ARE IN INCHES	ES ARE:	ANGLE	-/+ NOTICIA	-/+					
UNLESS OT	TOLERANO	DECIMALS	-/+ XX	-/+XXX	MATERIAL:				
ON DISCLOSED	TIAL PROPERTY TOLERANCES ARE: ORP. RECIPIENT	LUSETHE	ON IN ANY	IZED MANNER. XXX+/-					

APPROVED

Date

DESCRIPTION

LIMITED WARRANTY

In the event a defect in material or workmanship is discovered in any of TECA's products within one year after the date they are delivered to Buyer. and if: (a) TECA is notified of the defect in writing by certified mail within 14 days of the date of discovery; (b) TECA may then either, at its sole discretion, inspect the product at Buyer's location, or require that the product be made available at Buyer's expense at TECA's premises for TECA's inspection within 14 days of the date of notification; and (c) the products are defective and the defects result from faulty materials and/or workmanship and not in any way from accident, misuse, misapplication, mishandling, modification, or alteration by the Buyer or the shipper, then TECA shall, at its sole option, repair or exchange defective products free of charge to Buyer, or credit to buyer the price of the defective products. ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE EXCLUDED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL TECA BE LIABLE FOR ANY CLAIM BASED UPON BREACH OF EXPRESS OR IMPLIED WARRANTY OR ANY OTHER DAMAGES WHETHER SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, LOST PROFITS, BUSINESS INTERRUPTION, OR LOSS OF BUSINESS OR CUSTOMER RELATIONSHIPS.

RETURNED GOODS, RESTOCKING CHARGES

In order to return merchandise for any reason (repair, replacement, or credit) a return authorization number must be issued by TECA. New merchandise may not be returned for credit beyond 60 days from shipment. Charges for incidental or other damages may also be made. All returned goods must be sent freight prepaid. A restocking charge of 15% will apply. On special equipment and custom modified equipment orders, additional incremental cancellation charges may be made.